



Model 605 Open
 Engine(s) Mercury 100 Four Stroke
 HP / kW 100 / 73.6
 Gear Ratio 2.07:1
 Propeller Spitfire 13.8 x 13 x 4 BL AL
 Propeller PN 8M8026570

Dry Weight 1160 kg
 Test Weight 1494 kg

RPM	Speed (kts)	Fuel Flow (l/h)	Range (km)
1000	3.3	2.5	347
1500	4.6	4.1	299
2000	6.0	5.6	283
2500	6.8	7.5	242
3000	8.6	9.8	234
3500	12.8	13.1	260
4000	17.2	17.6	261
4500	20.6	21.8	251
5000	23.8	25.1	252
5500	26.4	28.0	251
6050	29.6	33.0	239

Performance data provided for a boat in light load condition. Light load condition consists of a boat with typical options, full fuel, safety gear, and 2 people. Cruise speed based off of 75% maximum RPM. Cruise range is based on cruise speed, with 10% fuel reserve. The information is provided as a comparison guide and is to show relative performance between different engine options. A specific boat's performance will be affected by water and weather conditions, altitude, condition of the boat, actual load, and engine or propeller condition. Quicksilver® makes no guarantee that this performance will be repeated on this boat at a later date, or at any time on a similarly equipped boat.





Model 605 Open
 Engine(s) Mercury 115 Four Stroke
 HP / kW 115 / 84.6
 Gear Ratio 2.07:1
 Propeller Spitfire 13.4 x 15 x 4 BL AL
 Propeller PN 8M8026580

Dry Weight 1160 kg
 Test Weight 1494 kg

RPM	Speed (kts)	Fuel Flow (l/h)	Range (km)
1000	3.6	2.7	351
1500	4.9	3.8	344
2000	6.2	5.8	285
2500	7.1	8.4	224
3000	9.8	11.9	219
3500	15.1	13.2	305
4000	19.2	17.9	286
4500	22.8	23.9	254
5000	26.3	28.8	243
5500	29.4	39.6	198
6040	33.0	44.5	197

Performance data provided for a boat in light load condition. Light load condition consists of a boat with typical options, full fuel, safety gear, and 2 people. Cruise speed based off of 75% maximum RPM. Cruise range is based on cruise speed, with 10% fuel reserve. The information is provided as a comparison guide and is to show relative performance between different engine options. A specific boat's performance will be affected by water and weather conditions, altitude, condition of the boat, actual load, and engine or propeller condition. Quicksilver® makes no guarantee that this performance will be repeated on this boat at a later date, or at any time on a similarly equipped boat.





Model 605 Open
 Engine(s) Mercury 115 Four Stroke Command Thrust
 HP / kW 115 / 84.6
 Gear Ratio 2.38:1
 Propeller Black Max 14 1/2 x 19 x 3 BL AL
 Propeller PN 832830A45

Dry Weight 1162 kg
 Test Weight 1496 kg

RPM	Speed (kts)	Fuel Flow (l/h)	Range (km)
1000	3.9	2.7	385
1500	5.2	3.8	365
2000	6.5	6.1	284
2500	7.7	8.6	239
3000	10.4	11.6	238
3500	16.5	14.9	294
4000	20.6	19.6	280
4500	24.5	26.9	243
5000	27.7	30.6	241
5500	30.8	38.5	213
6050	35.3	43.7	215

Performance data provided for a boat in light load condition. Light load condition consists of a boat with typical options, full fuel, safety gear, and 2 people. Cruise speed based off of 75% maximum RPM. Cruise range is based on cruise speed, with 10% fuel reserve. The information is provided as a comparison guide and is to show relative performance between different engine options. A specific boat's performance will be affected by water and weather conditions, altitude, condition of the boat, actual load, and engine or propeller condition. Quicksilver® makes no guarantee that this performance will be repeated on this boat at a later date, or at any time on a similarly equipped boat.



Model 605 Open
 Engine(s) Mercury 150 Four Stroke
 HP / kW 150 / 110
 Gear Ratio 1.92:1
 Propeller Enertia 14.7 x 16 x 3 BL SS
 Propeller PN 898992A46

Dry Weight 1198 kg
 Test Weight 1532 kg

RPM	Speed (kts)	Fuel Flow (l/h)	Range (km)
1000	3.9	3.3	311
1500	5.6	5.2	287
2000	7.0	8.6	217
2500	9.2	12.1	202
3000	15.9	14.8	287
3500	21.5	18.5	309
4000	25.9	23.3	296
4350	28.9	27.2	283
4500	29.8	31.0	256
5000	33.7	38.9	231
5500	36.9	48.5	203
5850	39.0	55.0	189

Performance data provided for a boat in light load condition. Light load condition consists of a boat with typical options, full fuel, safety gear, and 2 people. Cruise speed based off of 75% maximum RPM. Cruise range is based on cruise speed, with 10% fuel reserve. The information is provided as a comparison guide and is to show relative performance between different engine options. A specific boat's performance will be affected by water and weather conditions, altitude, condition of the boat, actual load, and engine or propeller condition. Quicksilver® makes no guarantee that this performance will be repeated on this boat at a later date, or at any time on a similarly equipped boat.

